



Commissioner for Patents
Washington, DC 20231
www.uspto.gov

APPLICATION NUMBER	FILING DATE	FIRST NAMED APPLICANT	ATTY. DOCKET NO./TITLE
10/037,414	01/04/2002	Pedro Sarmiento	47671/GTL/Q8

CONFIRMATION NO. 7404

23363
CHRISTIE, PARKER & HALE, LLP
350 WEST COLORADO BOULEVARD
SUITE 500
PASADENA, CA 91105

WITHDRAWAL NOTICE




OC000000008969647

Date Mailed: 10/18/2002

WITHDRAWAL OF PREVIOUSLY SENT NOTICE

The Notice mailed on 03/18/2002 was sent in error and is hereby withdrawn. A corrected Notice is enclosed. The time period for reply runs from the mail date of the corrected Notice. We apologize for any inconvenience this caused.

*A copy of this notice **MUST** be returned with the reply.*



Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 3 - OFFICE COPY



Commissioner for Patents
Washington, DC 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/037,414	01/04/2002	Pedro Sarmiento	47671/GTL/Q8

CONFIRMATION NO. 7404

23363
CHRISTIE, PARKER & HALE, LLP
350 WEST COLORADO BOULEVARD
SUITE 500
PASADENA, CA 91105

FORMALITIES LETTER



OC000000008969662

Date Mailed: 10/18/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS


Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52, 1.121(b)(3), and 1.125, is required. The specification, claims, or abstract page(s) submitted is not acceptable and cannot be scanned or properly stored because:
 - The line spacing on the specification, claims, or abstract is not 1-1/2 or double spaced (see 37 CFR 1.52(b)).

A copy of this notice MUST be returned with the reply.


Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 3 - OFFICE COPY